

# **ROTO-ORBITAL SINGLE DISC MACHINES**Suitable for any task, comfortable for any operator.









TMB, operating in the cleaning sector for over thirty years, produce commercial and professional vacuum cleaners, special vacuum cleaners, traditional and roto-orbital single disc machines and car wash equipment.

Within environments in which multiple daily activities are carried out (e.g. trade, industrial production, research, etc.) a positive value is attributed to the general comfort, care and cleaning of floors.

TMB, aware of the daily use of cleaning tools (machines and detergent products) places the reduction of waste and the underopment among its objectives.

taking of values such as ethics, consistency and sustainable devel-

This promotes a responsible use of resources and undertakes to render the production process with a low environmental impact, both during the usage cycle of the machines and for their disposal\*.

To offer cleaning operators the tools to support this service with commitment, TMB, as a manufacturer of cleaning machines, constantly acts with responsible choices towards environmental sustainability.

The innovative roto-orbital technology is proposed in a diversified range of products, and has been developed to optimize work and offer advantages for a better future in which our well-being, in everyday life, is in harmony with the consumption of resources.

\* TMB machines are easily disassembled for easy recycling of materials.





\*\*COMPLIANCE WITH UNI EN ISO 5349-1: 2004 HAND-ARM SYSTEM OF THE ROTO-ORBITAL SINGLE DISC MACHINES TPO AND TOR.



# TMB helps the environment



Electricity saving



Water saving



Detergent saving



High level of material recyclability



Reduced co, emissions



Saving on working time



Fatigue savings



Training savings




Safety (less risk of injury)



Reduced noise levels

## How to work with a traditional single disc machine





Movement of the traditional disc machine

The movement of the traditional single disc machine requires an expert operator.

The brush or the disc does not cover the entire underlying surface, especially in lateral movements.

The contact surface with the floor is reduced only to the peripheral part of the brush/disc.

The machine uses the rotation of the brush/disc to move sideways and therefore the operator requires training and a good physical strength.

The traditional machine requires different characteristics depending on the operation to be carried out on the floor:

- different brush/disc speeds
- different motor power outputs
- different weights



CLEANING

MAINTENANCE

POLISHING

## TRADITIONAL SINGLE DISC MACHINE



Water and detergent is easily wasted with the use of a traditional single disc machine due to the centrifugal movement of the brush.





The cable can become entangled during cleaning operations thereby creating a hazard.




The traditional system requires a greater consumption of electricity. The operator requires more physical effort and more attention.











CLEANING

MAINTENANCE

POLISHING

# Why choose a single disc machine with roto-orbital system?

#### Two movements in one: roto-orbital

Simultaneous to the natural rotary movement of the disc, which can vary from 0 to 90 rpm, the system always generates a constant orbital movement that allows to pass very quickly over the same point many times.

On surfaces such as hard floors, resilient floors, wood, resin and carpet floors, it creates rotational movements with a diameter of about 1 cm, with 1400 passes per minute. This guarantees an extraordinary and rapid scrubbing, polishing, crystallizing performance etc., etc.

The innovative orbital technology guarantees an intense and delicate cleaning.

#### Perfect adhesion to the surface

The working area is always constant and the brush/disc always remains level with respect to the surface, adhering perfectly.

## Forward and backward movement and easy slewing

The action of the brush is effective during any movement: forward and backward or slewing, staying flat on the surface at all times.

#### Less use of water and detergent.

The orbital movement holds the water inside the disc and is not sprayed outside. Thanks to this technology the consumption of water and consequently that of detergent is drastically reduced.

#### Low energy consumption

Maximum absorption of 2.5-3 Ah.

### A single machine for multiple functions

The roto-orbital system ensures that all operations are carried out on various types of floor thanks to its versatility and the availability of specific accessories that make the machine multi-purpose.

### ADVANTAGES IN THE USE OF THE ROTO-ORBITAL SINGLE DISC MACHINE



















It uses up to 1/10 the water of traditional single disc machines because the roto-orbital machine does not spray outwards.

By reducing the consumption of water, the consumption of chemicals is automatically reduced.

Thus, work times and electricity consumption are reduced by around 40%.

less water less detergent less energy less manpower





TPO TOR

TPO 43 is a new concept single disc machine. Uses a roto-orbital movement which increases productivity compared with a traditional single disc machine. Ideal for daily cleaning, maintenance and heavy duty.

TOR is a single disc machine particularly suitable for heavy duty cleaning thanks to the orbital movement which makes it versatile for many applications. Ideal for cleaning and for all floor treatments.

























#### **TPO 43**



#### **TPO 43 SPRAY**




TPO 43 and TPO 43 SPRAY exploit the principle of high frequency oscillations obtaining excellent stability, ease of use and great manoeuvrability, even for non-expert operators.

Ideal for scrubbing, polishing, de-waxing, crystallizing, restoring marble floors with diamond pads and scrubbing carpets.

When working with water, TPO 43 and TPO 43 SPRAY ensure a considerable saving of water and detergent. The solution is retained within the disc area and is not dispersed.

Furthermore, the particularity of the orbital movement makes the use of the TPO 43 very easy for any operator, reducing the training time to use the machine.

The low current absorption of this machine means that it can even be used at the same time as a vacuum cleaner, with both appliances powered by the standard mains power supply.





| TECHNICAL DATA                 |      | TPO 43       | TPO 43 SPRAY |
|--------------------------------|------|--------------|--------------|
| Drive                          |      | Direct Drive | Direct Drive |
| Working width                  | cm   | 43           | 43           |
| Brush Ø                        | cm   | 43           | 43           |
| Pad holder Ø                   | cm   | 43           | 43           |
| Orbits per minute              | no.  | 1400         | 1400         |
| Disc rotation                  | rpm  | 0-90         | 0-90         |
| Power supply                   | V/Hz | 230/50*      | 230/50*      |
| Tank                           | 1    | 15           | 15           |
| Spray pump                     | W    | _            | 32           |
| Brush                          | bar  | _            | 1,5          |
| Spray nozzles                  | no.  | _            | 1            |
| Motor power                    | W    | 1100         | 1100         |
| Machine weight                 | kg   | 41           | 42           |
| Machine dimensions (I x h x w) | cm   | 46x120x56    | 46x120x56    |

<sup>\* 120/60</sup> V/Hz version also available



# ROTO-ORBITAL SINGLE DISC MACHINE TPO 43 SPRAY | APPLICATIONS





#### **CARPET**





Power cable 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad holder Full Velcro over the entire surface of the disc for better resistance in the event of high friction. Suitable for heavy duty cleaning, maintenance cleaning and carpet floors.



Spray Kit
Equipped with pump,
nozzle to adjust the
spray of the solution
and a control button
on the handle. The
Spray Kit is not supplied
separately but fitted
on the TPO 43 Spray
version.



Tank
Polyethylene with 15
liter capacity, graduated
scale and closure cap.
Tool free assembly.



**3-position button**Allows continuous,
neutral or intermittent
delivery.



Microfibre carpet floor 17" Pad with microfiber and polyester. Ideal for scrubbing with the Bonnet system on heavily soiled carpets. Double-face and washable.



Carpet cotton disc 20"
Cotton pad ideal for
maintenance scrubbing.
Double-face and machine
washable.

# ROTO-ORBITAL SINGLE DISC MACHINE **TPO 43** | APPLICATIONS







scrubbing



re-smoothing



crystallization

#### **MARBLE**





Power cable 15 m, with type-approved male/ female sockets. Very practical for maintenance operations.



Standard Full Velcro pad holder

Full Velcro over the entire surface of the disc for better resistance in the event of high friction. Suitable for heavy duty cleaning, maintenance cleaning and special applications.

Nylon scrubbing brush

To scrub hard surfaces,

with joints and uneven

Traditional abrasive pads

For heavy duty cleaning,

maintenance and

polishing.

surfaces.



Polyethylene with 15 liter capacity, graduated scale and closure cap. Tool free assembly.



Natural fibre pad For polishing and crystallizing.



Microfibre pad For hard floors, parquet, ceramic and polished marble.



Cotton disc 20" Cotton pad ideal for maintenance scrubbing and cleaning on floating floors. Double-face and machine washable.



TMB MidPad in 5 different diamond grit APP1 - APP2 - APP3 -APP4 - APP5. Ideal for re-smoothing

and re-polishing.



Pad holder for steel wool

Made of embossed rubber for use with steel wool in crystallization operations.



Melamine pad To scrub hard, microporous, heavily soiled floors.



TMB AM Universal gel polish.



TMB LUX MARBLE Polishing powder for marble and derivatives.







## ROTO-ORBITAL SINGLE DISC MACHINE TPO 43 | APPLICATIONS







re-smoothing



### **STONEWARE, CERAMICS**



#### **CONCRETE**



TERRACOTTA, KLINKER





Power cable 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad holder Full Velcro over the entire surface of the disc for better resistance in the event of high friction. Suitable for heavy duty cleaning, maintenance cleaning and special applications.



Traditional abrasive pads For heavy duty cleaning, maintenance and polishing.

Melamine pad

floors.

To scrub hard, micro-

porous, heavily soiled



Natural fibre pad For polishing and crystallizing.



Tank Polyethylene with 15 liter capacity, graduated scale and closure cap. Tool free assembly.



Microfibre pad For hard floors, parquet, ceramic and polished marble.



TMB MidPad in 5 different diamond grit sizes: APP1 - APP2 - APP3 -APP4 - APP5. Ideal for re-smoothing and re-polishing.



Nylon scrubbing brush To scrub hard surfaces, with joints and uneven surfaces.



Cotton disc 20" Cotton pad ideal for maintenance scrubbing and cleaning on floating floors. Double-face and machine washable.



TMB AM Gel - Universal slip-proof polish for marble, granite and ceramic.

# ROTO-ORBITAL SINGLE DISC MACHINE **TPO 43** | APPLICATIONS







scrubbing



re-smoothing



#### **RESIN**



**PARQUET** 



LINOLEUM AND PVC





Power cable 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad holder Full Velcro over the entire surface of the disc for better resistance in the event of high friction. Suitable for heavy duty cleaning, maintenance cleaning and special applications.



Melamine pad To scrub hard, microporous, heavily soiled floors.



Traditional abrasive pads For heavy duty cleaning, maintenance and polishing.



Cotton disc 20"
Cotton pad ideal for maintenance scrubbing and cleaning on floating floors. Double-face and machine washable.




Tank
Polyethylene with 15
liter capacity, graduated
scale and closure cap.
Tool free assembly.

Nylon scrubbing brush To scrub hard surfaces,

with joints and uneven

surfaces.



Microfibre pad For hard floors, parquet, ceramic and polished marble.



TMB MidPad in 5 different diamond grit sizes: APP1 - APP2 - APP3 -APP4 - APP5. Ideal for re-smoothing and re-polishing.





## ROTO-ORBITAL SINGLE DISC MACHINES TOR 43 EXTRA - TOR 50 EXTRA

#### **TOR 43 EXTRA**

#### **TOR 43 EXTRA SPRAY**

#### **TOR 43 DS**







Quick release of the motor brush head from the trolley and weighing 17 kg and disconnection of the electrical system.

In addition to the features of TOR 43 EXTRA, it is equipped with a pump and 2 adjustable nozzles, a two-position switch and a tank.

TOR 43 Dual Speed scrubs, de-waxes, smooths, re-polishes and crystallizes at the first standard speed. Dry polishing and crystallization operations are made much faster at the second speed.

| TECHNICAL DATA                 |      | TOR 43 EXTRA | TOR 43 EXTRA SPRAY | TOR 43 DS    |
|--------------------------------|------|--------------|--------------------|--------------|
| Drive                          |      | Direct Drive | Direct Drive       | Direct Drive |
| Working width                  | cm   | 43           | 43                 | 43           |
| Brush Ø                        | cm   | 43           | 43                 | 43           |
| Pad holder Ø                   | cm   | 43           | 43                 | 43           |
| Oscillations per minute        | no.  | 1400         | 1400               | 1400/2800    |
| Disc rotation                  | rpm  | 0-90         | 0-90               | 0-90/180     |
| Power supply                   | V/Hz | 230/50*      | 230/50*            | 230/50*      |
| Tank                           | 1    | 15           | 15                 | 15           |
| Spray pump                     | W    | _            | 32                 | _            |
| Brush                          | bar  | -            | 1,5                | _            |
| Spray nozzles                  | no.  | _            | 2                  | _            |
| Power                          | W    | 1100         | 1100               | 1100         |
| Machine weight                 | kg   | 65           | 65                 | 65           |
| Machine dimensions (I x w x h) | mm   | 700x1220x495 | 700x1220x495       | 700x1220x495 |

<sup>\* 120/60</sup> V/Hz version also available



Dual Speed button
By pressing the TOR DS
Dual Speed button, the
number of orbits changes
from 1400 orbits/min
to 2800 orbits/min. At
this speed the use of a
natural fibre pad and the
application of polishing
or protective gels is
recommended for dry
polishing and crystallization
operations.



TOR 43 with vacuum kit



# **TOR 50 EXTRA SPRAY**







KIT complete with basket, vacuum cleaner with additional nylon filter, connection hose and velcro dust cover with bristles. Ideal for parquet and concrete.

Disc of 500 mm. Quick release of the motor brush head from the trolley and weighing 17 kg and disconnection of the electrical system.

In addition to the features of TOR 50 EXTRA, it is equipped with a pump and 2 adjustable nozzles, a two-position switch and a tank. Ideal for cleaning carpets with microfiber disc.



Pump for Extra Spray
For TOR 43 and TOR 50
Extra Spray version, with
two adjustable nozzles.
Uses a draw pipe with
filter in the 15 liter solution
tank.

| TECHNICAL DATA          |      | TOR 43<br>with vacuum kit | TOR 50 EXTRA | TOR 50 EXTRA SPRAY |
|-------------------------|------|---------------------------|--------------|--------------------|
| Drive                   |      | Direct Drive              | Direct Drive | Direct Drive       |
| Working width           | cm   | 43                        | 50           | 50                 |
| Brush Ø                 | cm   | 43                        | 50           | 50                 |
| Pad holder Ø            | cm   | 43                        | 50           | 50                 |
| Oscillations per minute | no.  | 1400                      | 1400         | 1400               |
| Disc rotation           | rpm  | 0-90                      | 0-90         | 0-90               |
| Power supply            | V/Hz | 230/50*                   | 230/50*      | 230/50*            |
| Tank                    | I    | 15                        | 15           | 15                 |
| Spray pump              | W    | -                         | _            | 32                 |
| Brush                   | bar  | -                         | _            | 1,5                |
| Spray nozzles           | no.  | -                         | _            | 2                  |
| Power                   | W    | 1100                      | 1100         | 1100               |
| Machine weight          | l. a | 65                        | 65           | 65                 |
|                         | kg   | 65                        | 65           | 60                 |

<sup>\* 120/60</sup> V/Hz version also available









RESET switch.

Although weighing 65 kg (accessories excluded) an excellent stability and manoeuvrability are obtained thanks to the high frequency oscillations.

When working with water, TOR 43 EXTRA ensures considerable savings since the solution is constantly held within the disc by the orbital movement.

Furthermore, the particular orbital movement makes it very easy to use the machine for any operator, reducing training time and eliminating the need to possess particular physical strength.

The low absorption of electricity of this machine means that it can even be used together with a vacuum cleaner, with both appliances powered by standard mains power supply









scrubbing



roughing



smoothingre-smoothing



polishing re-polishing



crystallization


### **MARBLE**



**GRANITE** 










and special applications.

friction. Suitable for heavy duty cleaning, maintenance cleaning







Polyethylene with 15 liter capacity, graduated scale and closure cap. Tool free assembly.



Made of embossed rubber for use with steel wool in crystallization operations.

Natural fibre pad For polishing and crystallizing.



Microfibre pad

Traditional abrasive

maintenance and

polishing.

pads
For heavy duty cleaning,







Melamine pad To scrub hard, microporous, heavily soiled



TMB Black Resin 00 Ceramic coated resinoid diamond disc Ø 100 mm, pack of 3 pcs.



TMB Brown Resin grit size 40 Resin and magnesite diamond disc Ø 100 mm, pack of 3 pcs.



Cotton disc 20" Cotton pad ideal for maintenance scrubbing and cleaning on floating floors. Double-face and machine washable.



TMB Red Resin 0 Ceramic coated resinoid diamond disc Ø 100 mm, pack of 3 pcs.




TMB Pink Resin grit size 60 Resin and magnesite diamond disc Ø 100 mm, pack of 3 pcs.



Splash guard with velcro fastening.



TMB Resin APP 1 Resinoid diamond disc Ø 100 mm, red velcro, pack of 3 pcs.



TMB Blue Resin grit size 120 Resin and magnesite diamond disc Ø 100 mm, pack of 3 pcs.



TMB ShinePad Diamond Pad available in 9 different grit sizes, from 50 to 15,000. Suitable for the treatment of marble and derivative surfaces, for both the maintenance and the recovery of worn surfaces. Allow operations from smoothing to mirror finishing.



TMB Resin APP 2 Resinoid diamond disc Ø 100 mm, yellow velcro, pack of 3 pcs.




TMB Grey Resin grit size 200 Resin and magnesite diamond disc Ø 100 mm, pack of 3 pcs.



TMB DryPad Suitable for marble,



TMB Resin APP 3 Resinoid diamond disc Ø 100 mm, white velcro, pack of 3 pcs.



TMB Green Resin grit size 400 Resin and magnesite diamond disc Ø 100 mm, pack of 3 pcs.



Diamond pad available in 8 different grit sizes. terrazzo, concrete and with 6 to 8 grit size for dry work also.



TMB Resin APP 4 Resinoid diamond disc Ø 100 mm, blue velcro, pack of 3 pcs.



TMB Light Blue Resin grit size 800 Resin and magnesite diamond disc Ø 100 mm, pack of 3 pcs.



TMB Resin APP 5 Resinoid diamond disc Ø 100 mm, grey velcro, pack of 3 pcs.



TMB Orange Resin grit size 1800 Resin and magnesite diamond disc Ø 100 mm, pack of 3 pcs.



TMB Hazel Resin grit size 3000 Resin and magnesite diamond disc Ø 100 mm, pack of 3 pcs.







Pad holder perforated Nylon, without velcro, for TmB insert metal diamond.



TMB LUX MARBLE
Polishing powder for
marble and derivatives.



TMB LUX MARBLE Extra Polishing powder for marble.



Frankfurt supports for TmB insert metal diamond inserts.



TMB AM
Gel - Universal slipproof polish for marble,
granite and ceramic.



TMB Gel Lux Marble Polishing Gel for marble.



TMB INSERT
Metal diamond grit
size 0 C grey.
Pack of 6 pcs.



TMB GQ GEL polish - Slip-proof for granite, concrete, quartz and stoneware.



TMB Impregnating
Finish Marble-Granite
Protective finishing
polish.



TMB INSERT
Metal diamond grit size
1 C red.
Pack of 6 pcs.



TMB SP Silicates Concrete consolidator with Sodium and Potassium silicates.



TMB KRIS Marble
Crystallizer for marble.



TMB INSERT
Metal diamond grit size
2 C black.
Pack of 6 pcs.



TMB LITHIUM Silicates Concrete consolidator with Lithium silicates.



**TMB Lux Granite**Polishing powder for granite-stoneware.



TMB INSERT
Metal diamond grit size
0 M yellow, for marble.
Pack of 6 pcs.



TMB LUX Nano-Lithium UV High-gloss super resistant Lithium based concrete finish.




**TMB Gel Lux Granite**Polishing Gel for
granite-stoneware.



TMB INSERT
Metal diamond grit size
2 M black, for marble.
Pack of 6 pcs.



TMB Lux Lithium Carriageable Gloss Lithium based concrete finishing resistant to traffic.







# TOR 43 EXTRA SPRAY - TOR 50 EXTRA SPRAY | APPLICATIONS







### **CARPET**



With TOR 43 SPRAY and TOR 50 SPRAY, the reduced consumption of water and the drying time of the carpet prevent the formation of moulds.




The fibers are cleaned and regenerated thanks to vibration and the dirt particles are removed even in depth.



It is recommended to remove the weight of 17 kg to clean the carpet.



Pump for Extra Spray For TOR 43 and TOR 50 Extra Spray version, with two adjustable nozzles. Uses a draw pipe with filter in the 15 liter solution tank.



# TOR 43 EXTRA SPRAY - TOR 50 EXTRA SPRAY | APPLICATIONS









Power cable 15 m, with type-approved male/female sockets. Very practical for maintenance operations.

Standard Full Velcro pad holder Full Velcro over the entire surface of the disc for better resistance in the event of high friction. Suitable for heavy duty cleaning, maintenance cleaning and carpet floors.







Tank
Polyethylene with 15
liter capacity, graduated scale and closure cap.

Tool free assembly.



Three-position switch Allows continuous or intermittent delivery.





Microfibre carpet floor 17" Pad with microfiber and polyester. Ideal for scrubbing with Bonnet system on heavily soiled carpets. Double-face and washable.

Carpet cotton disc 20" Cotton pad ideal for maintenance scrubbing. Double-face and machine washable.









scrubbing



re-smoothing



#### CONCRETE



**STONEWARE, CERAMICS** 





Power cable 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad holder Full Velcro over the entire surface of the disc for better resistance in the event of high friction. Suitable for heavy duty cleaning, maintenance cleaning and special applications.




Melamine pad To scrub hard, microporous, heavily soiled floors.



Natural fibre pad For polishing and crystallizing.




Traditional abrasive pads For heavy duty cleaning, maintenance and polishing.



TMB DryPad Diamond pad available in 8 different grit sizes. Suitable for marble, terrazzo, concrete and with 6 to 8 grit size for dry work also.



Polyethylene with 15 liter capacity, graduated scale and closure cap. Tool free assembly.



Microfibre pad For hard floors, parquet, ceramic and polished marble.



Cotton disc 20" Cotton pad ideal for maintenance scrubbing and cleaning on floating floors. Double-face and machine washable.



Tynex brush To scrub hard, heavily soiled, even uneven surfaces.







TMB ShinePad Diamond Pad available in 9 different grit sizes, from 50 to 15,000. Suitable for the treatment of marble and derivative surfaces, for both the maintenance and the recovery of worn surfaces. Allow operations from smoothing to mirror  $% \left( 1\right) =\left( 1\right) \left( 1\right$ finishing.



STEEL BRUSH For hard floors with old layers of sludge even with mechanical residues.



Pad holder for emery paper.



TMB metal plate Double face tungsten disc. Available with grit size of 10, 14, 24 and 36.





TMB Black Resin 00 Ceramic coated resinoid diamond disc Ø 100 mm, pack of 3 pcs.



Black Resin 00 Ceramic coated resinoid diamond disc Ø 100 mm, pack of 3 pcs.

TMB Resin APP 2

Resinoid diamond disc

Ø 100 mm, pack of

3 pcs.

TMB Red Resin 0 TMB



TMB Resin APP 3 Resinoid diamond disc Ø 100 mm, pack of



TMB Resin APP 5 Resinoid diamond disc Ø 100 mm, pack of

TMB Resin APP 4 Resinoid diamond disc Ø 100 mm, pack of

3 pcs.



TMB INSERT Metal diamond grit size 0 C grey, grit size 1 C red, grit size 2 C black



TMB GQ GEL polish - Slip-proof for granite, concrete, quartz and stoneware.



TMB Lux Lithium Carriageable Gloss Lithium based concrete finishing resistant to traffic.





High-gloss super resistant Lithium based concrete finish.

TMB LUX Nano-Lithium



TMB LITHIUM Silicates Concrete consolidator with Lithium silicates.



TMB SP Silicates Concrete consolidator with Sodium and Potassium silicates.









scrubbing



re-smoothing



### **WOOD, PARQUET**







Power cable 15 m, with type-approved male/female sockets. Very practical for maintenance operations.



Full Velcro pad holder Full Velcro over the entire surface of the disc for better resistance in the event of high friction. Suitable for heavy duty cleaning, maintenance cleaning and special applications.





Polyethylene with 15 liter capacity, graduated scale and closure cap. Tool free assembly.







TMB ShinePad Diamond Pad available in 9 different grit sizes, from 50 to 15,000. Suitable for the treatment of marble and derivative surfaces, for both the maintenance and the recovery of worn surfaces. Allow operations from smoothing to mirror finishing.



Natural fibre pad For polishing.

machine washable.

Cotton disc 20" Cotton pad ideal for maintenance scrubbing

and cleaning on floating floors. Double-face and







TOR 43 with vacuum Kit







Microfibre pad For hard floors, parquet, ceramic and polished marble.

Brown DSWC special disc, to de-wax all surfaces with water only and dry sanding of the parquet.





Additional **weight KIT** for TOR Extra.

Pad holder for emery paper.



vacuum kit with vacuum cleaner and dust cover.



Dust cover with bristles.



|        | RC   | OTO-ORBITAL SINGLE DISC MACHINES ACCESSORIES.   |
|--------|------|---|
| CODE   |      | DESCRIPTION   |
| 441250 | 0    | Extension cable with EU plug  |
| 441246 |      | Extension cable with UK plug  |
| 226954 |      | TPO 43 solution tank  |
| 224811 | -    | TOR 43 – TOR 50 solution tank   |
| 445005 |      | 17" - Ø 430 mm - Cushioned pad holder with full velcro on the entire surface, with 6 mm foam            |
| 446690 |      | 20" - Ø 500 mm - Cushioned pad holder with full velcro on the entire surface, with 6 mm foam            |
| 442911 |      | 17" - Ø 430 mm - Standard pad holder with full velcro on the entire surface, without foam               |
| 442237 |      | 17" - Ø 430 mm - Pad holder for steel wool - With textured rubber surface                               |
| 441613 | 0    | 17" - Ø 430 mm - Pad holder for emery paper   |
| 441119 | SUIL | 17" - Ø 430 mm - PBT brush for scrubbing  |
| 448312 |      | 20" - Ø 505 mm - PBT brush for scrubbing  |
| 444466 |      | 17" - Ø 430 mm - Tynex Abrasive Brush, 120 grit size  |
| 446012 |      | 17" - Ø 430 mm - Steel brush - TOR 43   |
| 445414 | 0    | 17" - Ø 430 mm - Nylon brush 0.50 mm for scrubbing - TPO 43   |
| 414240 |      | 17" - Ø 430 mm - Microfibre pad for scrubbing hard and parquet floors - pack of 5 pcs.                  |
|        |      | 20" - Ø 505 mm - Microfibre pad for scrubbing hard and parquet floors - pack of 5 pcs.                  |
| 444829 | (    | 17" - Ø 430 mm - Melamine disc for scrubbing heavily soiled stoneware and ceramic floors Pack of 4 pcs. |
| 448794 |      | 20" - Ø 505 mm - Melamine disc for scrubbing heavily soiled stoneware and ceramic floors Pack of 4 pcs. |





- STANDARD
- O OPTIONAL
- NOT AVAILABLE

| - NOT AVAILABL |              | TO-ORBITAL S | INGLE DISC M          | ACHINE MOD | ELS.         |                       |
|----------------|--------------|--------------|-----------------------|------------|--------------|-----------------------|
| TPO 43         | TPO 43 Spray | TOR 43 EXTRA | TOR 43<br>EXTRA SPRAY | TOR 43 DS  | TOR 50 EXTRA | TOR 50<br>EXTRA SPRAY |
| •              | •            | 0            | 0                     | 0          | 0            | 0                     |
| 0              | 0            | 0            | 0                     | 0          | 0            | 0                     |
| •              | •            | -            | -                     | -          | -            | -                     |
| _              | _            | 0            | 0                     | 0          | 0            | 0                     |
| •              | •            | 0            | 0                     | 0          | _            | -                     |
| _              | _            | _            | _                     | _          | 0            | 0                     |
| 0              | 0            | 0            | 0                     | 0          | _            | -                     |
| 0              | 0            | 0            | 0                     | 0          | -            | _                     |
| 0              | 0            | 0            | 0                     | 0          | _            | _                     |
| 0              | 0            | 0            | 0                     | 0          | _            | _                     |
| -              | -            | -            | -                     | -          | 0            | 0                     |
| -              | -            | 0            | 0                     | 0          | -            | _                     |
| _              | _            | 0            | 0                     | 0          | _            | _                     |
| 0              | 0            | _            | -                     | _          | -            | _                     |
| 0              | 0            | 0            | 0                     | 0          | _            | -                     |
| _              | _            | _            | _                     | -          | 0            | 0                     |
| 0              | 0            | 0            | 0                     | 0          | _            | _                     |
| -              | _            | _            | _                     | _          | 0            | 0                     |



|        | RO  | OTO-ORBITAL SINGLE DISC MACHINES ACCESSORIES.  |
|--------|-----|--|
| CODE   |     | DESCRIPTION  |
| 226167 | (4) | Additional 17 Kg weight kit with assembly accessories - TOR 43   |
| 227953 | 0   | Additional 17 Kg weight kit with assembly accessories - TOR EXTRA  |
| 225411 |     | Vacuum kit including: vacuum cleaner with additional nylon filter, basket, dust cover, connection hose and metal Ø 32 mm fitting                     |
| 226047 |     | Rubber dust cover with bristles  |
| 442986 | 0   | Splash guard with velcro fastening.  |
| 441651 |     | Metal Ø 32 mm hose fitting   |
| 445906 |     | Metal Ø 40 mm hose fitting   |
| 444830 |     | TMB MICROFIBRE PAD 17" - Ø 430 mm - microfibre carpet cleaning disc, with polyester abrasive stripes, double face - 5 pcs.                           |
| 448795 |     | TMB MICROFIBRE PAD 20" - Ø 505 mm - microfibre carpet cleaning disc, with polyester abrasive stripes, double face - 5 pcs.                           |
| 445208 |     | TMB COTTON PAD - Ø 500 mm - carpet cleaning and drying cotton disc, with twisted and stitched edge, double face, for TPO 43 and TOR 43 EXTRA         |
| 447000 |     | 17" - Ø 430 mm - Natural fibre polishing disc - pack of 5 pcs.   |
| 448789 |     | 20" - Ø 505 mm - Natural fibre polishing disc - pack of 5 pcs.   |
| 448203 |     | Black abrasive disc 17" - Ø 430 mm, h 22 mm - heavy duty scrubbing of hard floors, pack of 5 pcs.  |
| 448211 |     | Black abrasive disc 20" - Ø 508 mm, h 22 mm - heavy duty scrubbing of hard floors, pack of 5 pcs.  |
| 448204 |     | Brown abrasive disc 17" - Ø 430 mm, h 22 mm - heavy duty scrubbing of hard floors, dry de-waxing and with wax remover on hard floors, pack of 5 pcs. |
| 448212 |     | Brown abrasive disc 20" - Ø 508 mm, h 22 mm - heavy duty scrubbing of hard floors, dry de-waxing and with wax remover on hard floors, pack of 5 pcs. |
| 448205 |     | Green abrasive disc 17" - Ø 430 mm, h 22 mm - medium scrubbing on unprotected floors, partial dewaxing - pack of 5 pcs.                              |
| 448213 |     | Green abrasive disc 20" - Ø 508 mm, h 22 mm - medium scrubbing on unprotected floors, partial dewaxing - pack of 5 pcs.                              |





STANDARD

O OPTIONAL

NOT AVAILABLE

| <ul> <li>NOT AVAILABL</li> </ul> | _E              |              |                       |            |              |                       |
|----------------------------------|-----------------|--------------|-----------------------|------------|--------------|-----------------------|
|                                  | RO <sup>-</sup> | TO-ORBITAL S | INGLE DISC M          | ACHINE MOD | ELS.         |                       |
| TPO 43                           | TPO 43 Spray    | TOR 43 EXTRA | TOR 43<br>EXTRA SPRAY | TOR 43 DS  | TOR 50 EXTRA | TOR 50<br>EXTRA SPRAY |
| _                                | _               | 0            | 0                     | _          | 0            | 0                     |
| _                                | _               | 0            | 0                     | -          | 0            | 0                     |
| _                                | _               | 0            | 0                     | 0          | 0            | 0                     |
| _                                | _               | 0            | 0                     | 0          | _            | _                     |
| _                                | _               | 0            | 0                     | 0          | _            | _                     |
| _                                | _               | 0            | 0                     | 0          | 0            | 0                     |
| _                                | _               | 0            | 0                     | 0          | 0            | 0                     |
| 0                                | 0               | 0            | 0                     | 0          | _            | _                     |
| _                                | _               | _            | -                     | _          | 0            | 0                     |
| 0                                | 0               | 0            | 0                     | _          | 0            | 0                     |
| 0                                | 0               | 0            | 0                     | 0          | _            | -                     |
| _                                | _               | _            | _                     | _          | 0            | 0                     |
| 0                                | 0               | 0            | 0                     | 0          | _            | _                     |
| _                                | _               | _            | _                     | _          | 0            | 0                     |
| 0                                | 0               | 0            | 0                     | 0          | _            | _                     |
| _                                | _               | _            | _                     | _          | 0            | 0                     |
| 0                                | 0               | 0            | 0                     | 0          | -            | -                     |
| _                                | _               | _            | _                     | _          | 0            | 0                     |



|        | RC    | OTO-ORBITAL SINGLE DISC MACHINES ACCESSORIES.   |
|--------|-------|---|
| CODE   |       | DESCRIPTION   |
| 448206 |       | Blue abrasive disc 17" - Ø 430 mm, h 22 mm - damp maintenance on protected floors, partial and total de-waxing on linoleum - pack of 5 pcs. |
| 448214 |       | Blue abrasive disc 20" - Ø 508 mm, h 22 mm - damp maintenance on protected floors, partial and total de-waxing on linoleum - pack of 5 pcs. |
| 448207 |       | Red abrasive disc 17" - Ø 430 mm, h 22 mm - spray cleaning maintenance on protected floors - pack of 5 pcs.                                 |
| 448215 |       | Red abrasive disc 20" - Ø 508 mm, h 22 mm - spray cleaning maintenance on protected floors - pack of 5 pcs.                                 |
| 448208 |       | White abrasive disc 17" - Ø 430 mm, h 22 mm - dry polishing - pack of 5 pcs.  |
| 448216 |       | White abrasive disc 20" - Ø 508 mm, h 22 mm - dry polishing - pack of 5 pcs.  |
| 448209 |       | Beige abrasive disc 17" - Ø 430 mm, h 22 mm - dry polishing waxes, parquet and light spray cleaning - pack of 5 pcs.                        |
| 448217 |       | Beige abrasive disc 20" - Ø 508 mm, h 22 mm - dry polishing waxes, parquet and light spray cleaning - pack of 5 pcs.                        |
| 448210 |       | Brown DSWC special disc 17" - Ø 430 mm, h 9 mm - to de-wax all surfaces with water only and dry sanding of the parquet - pack of 14 pcs.    |
| 448218 |       | Brown DSWC special disc 20" - Ø 508 mm, h 9 mm - to de-wax all surfaces with water only and dry sanding of the parquet - pack of 14 pcs.    |
| 446006 | Alla. | TMB MidPad yellow APP 1-17" - Diamond pad 17" - Ø 430 mm, h 10 mm - marble, PVC, resin  |
| 448692 |       | TMB MidPad yellow APP 1-20" - Diamond pad 17" - Ø 505 mm, h 10 mm - marble, PVC, resin  |
| 446007 |       | TMB MidPad brown APP 2-17" - Diamond pad 17" - Ø 430 mm, h 10 mm - marble, PVC, resin   |
| 448693 |       | TMB MidPad brown APP 2-20" - Diamond pad 20" - Ø 505 mm, h 10 mm - marble, PVC, resin   |
| 446008 |       | TMB MidPad amaranth APP 3-17" - Diamond pad 17" - Ø 430 mm, h 10 mm - marble, PVC, resin  |
| 448694 |       | TMB MidPad amaranth APP 3-20" - Diamond pad 20" - Ø 505 mm, h 10 mm - marble, PVC, resin  |
| 446009 |       | TMB MidPad green APP 4-17" - Diamond pad 17" - Ø 430 mm, h 10 mm - marble, PVC, resin   |
| 448695 |       | TMB MidPad green APP 4-20" - Diamond pad 20" - Ø 505 mm, h 10 mm - marble, PVC, resin   |
| 448698 |       | TMB MidPad grey APP 5-17" - Diamond pad 17" - Ø 430 mm, h 10 mm - marble, PVC, resin  |
| 448696 |       | TMB MidPad grey APP 5-20" - Diamond pad 20" - Ø 505 mm, h 10 mm - marble, PVC, resin  |
| 448270 |       | TMB DRYPAD APP 1-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete   |
| 448684 |       | TMB DRYPAD APP 1-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete   |
| 448271 |       | TMB DRYPAD APP 2-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete   |
| 448685 |       | TMB DRYPAD APP 2-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete   |
| 448272 |       | TMB DRYPAD APP 3-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete   |
| 448686 |       | TMB DRYPAD APP 3-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete   |





- STANDARD
- O OPTIONAL
- NOT AVAILABLE

| <ul> <li>NOT AVAILABI</li> </ul> | ROTO-ORBITAL SINGLE DISC MACHINE MODELS. |              |                       |            |              |                       |
|----------------------------------|--|--------------|-----------------------|------------|--------------|-----------------------|
|                                  | RO                                       | TO-ORBITAL S | INGLE DISC M          | ACHINE MOD | ELS.         |                       |
| TPO 43                           | TPO 43 Spray                             | TOR 43 EXTRA | TOR 43<br>EXTRA SPRAY | TOR 43 DS  | TOR 50 EXTRA | TOR 50<br>EXTRA SPRAY |
| 0                                | 0  | 0            | 0                     | 0          | _            | _                     |
| _                                | _  | _            | _                     | _          | 0            | 0                     |
| 0                                | 0  | 0            | 0                     | 0          | -            | -                     |
| _                                | _  | _            | _                     | _          | 0            | 0                     |
| 0                                | 0  | 0            | 0                     | 0          | _            | _                     |
| _                                | _  | _            | _                     | _          | 0            | 0                     |
| 0                                | 0  | 0            | 0                     | 0          | _            | _                     |
| _                                | _  | _            | _                     | _          | 0            | 0                     |
| 0                                | 0  | 0            | 0                     | 0          | _            | _                     |
| _                                | _  | _            | _                     | _          | 0            | 0                     |
| 0                                | 0  | 0            | 0                     | 0          | _            | _                     |
| -                                | _  | _            | _                     | _          | 0            | 0                     |
| 0                                | 0  | 0            | 0                     | 0          | _            | _                     |
| -                                | _  | _            | _                     | _          | 0            | 0                     |
| 0                                | 0  | 0            | 0                     | 0          | _            | _                     |
| -                                | _  | _            | _                     | _          | 0            | 0                     |
| 0                                | 0  | 0            | 0                     | 0          | -            | -                     |
| -                                | -  | _            | -                     | _          | 0            | 0                     |
| 0                                | 0  | 0            | 0                     | 0          | -            | _                     |
| _                                | -  | -            | -                     | -          | 0            | 0                     |
| _                                | -  | 0            | 0                     | 0          | -            | -                     |
| _                                | -  | -            | -                     | _          | 0            | 0                     |
| _                                | _  | 0            | 0                     | 0          | _            | _                     |
| _                                | _  | _            | _                     | _          | 0            | 0                     |
| _                                | _  | 0            | 0                     | 0          | _            | _                     |
| _                                | _  | _            | _                     | _          | 0            | 0                     |



|        | R            | OTO-ORBITAL SINGLE DISC MACHINES ACCESSORIES.  |
|--------|--------------|--|
| CODE   |              | DESCRIPTION  |
| 448273 |              | TMB DRYPAD APP 4-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete  |
| 448687 |              | TMB DRYPAD APP 4-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete  |
| 448274 |              | TMB DRYPAD APP 5-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete  |
| 448688 |              | TMB DRYPAD APP 5-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete  |
| 448275 |              | TMB DRYPAD APP 6-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete grit sizes 6-7-8 can be used dry on concrete |
| 448689 |              | TMB DRYPAD APP 6-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete grit sizes 6-7-8 can be used dry on concrete |
| 448276 |              | TMB DRYPAD APP 7-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete grit sizes 6-7-8 can be used dry on concrete |
| 448690 |              | TMB DRYPAD APP 7-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete grit sizes 6-7-8 can be used dry on concrete |
| 448277 |              | TMB DRYPAD APP 8-17" - Diamond pad 17" - Ø 430 mm, h 20 mm - marble, terrazzo, concrete grit sizes 6-7-8 can be used dry on concrete |
| 448691 |              | TMB DRYPAD APP 8-20" - Diamond pad 20" - Ø 505 mm, h 20 mm - marble, terrazzo, concrete grit sizes 6-7-8 can be used dry on concrete |
| 443370 | July Shirman | SHINEPAD grit size 1 - Flexible diamond disc for marble, terrazzo, concrete Ø 430 mm - 1 pc.   |
| 443371 | July Shrang  | SHINEPAD grit size 2 - Flexible diamond disc for marble, terrazzo, concrete Ø 430 mm - 1 pc.   |
| 443372 | July Shrang  | SHINEPAD grit size 3 - Flexible diamond disc for marble, terrazzo, concrete Ø 430 mm - 1 pc.   |
| 443373 | IN Shrang    | SHINEPAD grit size 4 - Flexible diamond disc for marble, terrazzo, concrete Ø 430 mm - 1 pc. Ø 17"                                   |
| 443374 | S 17         | SHINEPAD grit size 5 - Flexible diamond disc for marble, terrazzo, concrete Ø 430 mm - 1 pc.   |
| 443375 | S 17         | SHINEPAD grit size 6 - Flexible diamond disc for marble, terrazzo, concrete Ø 430 mm - 1 pc.   |
| 443376 | T 17         | SHINEPAD grit size 7 - Flexible diamond disc for marble, terrazzo, concrete Ø 430 mm - 1 pc.   |
| 443377 | I 17         | SHINEPAD grit size 8 - Flexible diamond disc for marble, terrazzo, concrete Ø 430 mm - 1 pc.   |





- STANDARD
- O OPTIONAL
- NOT AVAILABLE

| NOT /W/(IE/(BE |              | TO-ORBITAL S | INGLE DISC M          | ACHINE MOD | ELS.         |                       |
|----------------|--------------|--------------|-----------------------|------------|--------------|-----------------------|
| TPO 43         | TPO 43 Spray | TOR 43 EXTRA | TOR 43<br>EXTRA SPRAY | TOR 43 DS  | TOR 50 EXTRA | TOR 50<br>EXTRA SPRAY |
| _              | _            | 0            | 0                     | 0          | _            | _                     |
| _              | _            | _            | _                     | _          | 0            | 0                     |
| _              | _            | 0            | 0                     | 0          | _            | _                     |
| _              | _            | _            | _                     | _          | 0            | 0                     |
| _              | _            | 0            | 0                     | 0          | _            | _                     |
| _              | _            | _            | _                     | _          | 0            | 0                     |
| _              | _            | 0            | 0                     | 0          | _            | _                     |
| _              | _            | _            | -                     | -          | 0            | 0                     |
| _              | _            | 0            | 0                     | 0          | -            | _                     |
| _              | _            | _            | _                     | _          | 0            | 0                     |
| _              | -            | 0            | 0                     | 0          | -            | -                     |
| _              | _            | 0            | 0                     | 0          | _            | -                     |
| _              | _            | 0            | 0                     | 0          | _            | -                     |
| _              | _            | 0            | 0                     | 0          | -            | -                     |
| _              | _            | 0            | 0                     | 0          | -            | -                     |
| _              | _            | 0            | 0                     | 0          | _            | -                     |
| _              | _            | 0            | 0                     | 0          | _            | -                     |
| _              | _            | 0            | 0                     | 0          | -            | -                     |



|        | RO       | OTO-ORBITAL SINGLE DISC MACHINES ACCESSORIES.   |
|--------|----------|---|
| CODE   |          | DESCRIPTION   |
| 443378 | a shrong | SHINEPAD grit size 9 - Flexible diamond disc for marble, terrazzo, concrete Ø 430 mm - 1 pc.    |
| 445231 |          | TMB RESIN 00 Black - Ceramic coated diamond disc G - GS - M - C Ø 100 mm - pack of 3 pcs.       |
| 445232 |          | TMB RESIN 0 Red - Ceramic coated diamond disc G - GS - M - C Ø 100 mm - pack of 3 pcs.          |
| 445736 |          | TMB RESIN APP. 1 Diamond disc for marble and granite Ø 100 mm with red velcro - 3 pcs.          |
| 445737 |          | TMB RESIN APP. 2 Diamond disc for marble and granite Ø 100 mm with yellow velcro - 3 pcs.       |
| 445738 |          | TMB RESIN APP. 3 Diamond disc for marble and granite Ø 100 mm with white velcro - 3 pcs.        |
| 445739 |          | TMB RESIN APP. 4 Diamond disc for marble and granite Ø 100 mm with blue velcro - 3 pcs.         |
| 445741 |          | TMB RESIN APP. 5 Diamond disc for marble and granite Ø 100 mm with grey velcro - 3 pcs.         |
| 444840 | ++       | TMB RESIN 40 - Diamond in resin and magnesite for granite and marble Ø 100 mm - pack of 3 pcs.  |
| 444841 | 6        | TMB RESIN 60 - Diamond in resin and magnesite for granite and marble Ø 100 mm - pack of 3 pcs.  |
| 444842 | ++       | TMB RESIN 120 - Diamond in resin and magnesite for granite and marble Ø 100 mm - pack of 3 pcs. |
| 444843 | 9 9      | TMB RESIN 200 - Diamond in resin and magnesite for granite and marble Ø 100 mm - pack of 3 pcs. |
| 444844 | -        | TMB RESIN 400 - Diamond in resin and magnesite for granite and marble Ø 100 mm - pack of 3 pcs. |





STANDARD

O OPTIONAL

NOT AVAILABLE

| NOT AVAILABLE     ROTO-ORBITAL SINGLE DISC MACHINE MODELS. |              |              |                       |            |              |                       |
|--|--------------|--------------|-----------------------|------------|--------------|-----------------------|
|  | RO           | O-ORBITAL S  | INGLE DISC M          | ACHINE MOD | ELS.         |                       |
| TPO 43   | TPO 43 Spray | TOR 43 EXTRA | TOR 43<br>EXTRA SPRAY | TOR 43 DS  | TOR 50 EXTRA | TOR 50<br>EXTRA SPRAY |
| _  | _            | 0            | 0                     | 0          | _            | -                     |
| -  | _            | 0            | 0                     | 0          | 0            | 0                     |
| _  | _            | 0            | 0                     | 0          | 0            | 0                     |
| _  | _            | 0            | 0                     | 0          | 0            | 0                     |
| _  | _            | 0            | 0                     | 0          | 0            | 0                     |
| -  | -            | 0            | 0                     | 0          | 0            | 0                     |
| -  | -            | 0            | 0                     | 0          | 0            | 0                     |
| _  | _            | 0            | 0                     | 0          | 0            | 0                     |
| _  | _            | 0            | 0                     | 0          | 0            | 0                     |
| _  | _            | 0            | 0                     | 0          | 0            | 0                     |
| _  | _            | 0            | 0                     | 0          | 0            | 0                     |
| _  | _            | 0            | 0                     | 0          | 0            | 0                     |
| _  | _            | 0            | 0                     | 0          | 0            | 0                     |



|        | RC | OTO-ORBITAL SINGLE DISC MACHINES ACCESSORIES.  |
|--------|----|--|
| CODE   |    | DESCRIPTION  |
| 444845 | 99 | TMB RESIN 800 - Diamond in resin and magnesite for granite and marble Ø 100 mm - pack of 3 pcs.  |
| 444846 | +  | TMB RESIN 1800 - Diamond in resin and magnesite for granite and marble Ø 100 mm - pack of 3 pcs. |
| 444847 | 99 | TMB RESIN 3000 - Diamond in resin and magnesite for granite and marble Ø 100 mm - pack of 3 pcs. |
| 443330 |    | TOR 43 perforated nylon pad holder, without velcro, for metal diamond TMB INSERT                 |
| 444856 |    | Frankfurt supports for TMB INSERT metal diamond inserts (on pad holder 443330)                   |
| 444851 |    | Metal diamond TMB INSERT, grit size 0 C grey for concrete and granite - pack of 6 pcs.           |
| 444852 |    | Metal diamond TMB INSERT, grit size 1 C red for concrete and granite - pack of 6 pcs.            |
| 444853 |    | Metal diamond TMB INSERT, grit size 2 C black for concrete and granite - pack of 6 pcs.          |
| 444854 |    | Metal diamond TMB INSERT, grit size 0 M yellow for marble - pack of 6 pcs.                       |
| 444855 |    | Metal diamond TMB INSERT, grit size 2 M black for marble - pack of 6 pcs.                        |
| 443384 |    | TMB METAL PLATE Double face tungsten discs - Grit size 10 - Ø 400 mm                             |
| 443385 | *  | TMB METAL PLATE Double face tungsten discs - Grit size 14 - Ø 400 mm                             |
| 443386 |    | TMB METAL PLATE Double face tungsten discs - Grit size 24 - Ø 400 mm                             |





STANDARD

O OPTIONAL

NOT AVAILABLE

| - NOT AVAILABLE |              | TO-ORBITAL S | INGLE DISC M          | ACHINE MOD | ELS.         |                       |
|-----------------|--------------|--------------|-----------------------|------------|--------------|-----------------------|
| TPO 43          | TPO 43 Spray | TOR 43 EXTRA | TOR 43<br>EXTRA SPRAY | TOR 43 DS  | TOR 50 EXTRA | TOR 50<br>EXTRA SPRAY |
| _               | _            | 0            | 0                     | 0          | 0            | 0                     |
| _               | -            | 0            | 0                     | 0          | 0            | 0                     |
| _               | -            | 0            | 0                     | 0          | 0            | 0                     |
| _               | -            | 0            | 0                     | 0          | _            | -                     |
| _               | -            | 0            | 0                     | 0          | -            | -                     |
| _               | -            | 0            | 0                     | 0          | _            | -                     |
| _               | -            | 0            | 0                     | 0          | _            | -                     |
| _               | -            | 0            | 0                     | 0          | _            | _                     |
| _               | -            | 0            | 0                     | 0          | _            | _                     |
| _               | -            | 0            | 0                     | 0          | -            | -                     |
| _               | _            | 0            | 0                     | 0          | _            | -                     |
| _               | _            | 0            | 0                     | 0          | _            | _                     |
| _               | -            | 0            | 0                     | 0          | -            | -                     |



|        | ROTO-OR | BITAL SINGLE DISC MACHINE ACCESSORIES AND CHEMICALS.  |
|--------|---------|---|
| CODE   |         | DESCRIPTION   |
| 443387 |         | TMB METAL PLATE - Double face tungsten discs - Grit size 36 - Ø 400 mm                              |
| 443379 |         | TMB LuxMarble - Polishing dust for marble and derivatives - 2 Kg                                    |
| 444850 |         | TMB AM Gel - Universal slip-proof polish for marble, granite and ceramic 12 pcs. of 1 Kg            |
| 444849 | 1Ma od  | TMB GQ GEL polish - Slip-proof for granite, concrete, quartz and stoneware 12 pcs. of 1 Kg          |
| 444848 | 7       | TMB CONSOLIDATOR - Impregnating water-repellent for concrete 4 pcs. of 5 Lt                         |
| 448378 |         | TMB SP Silicates CONCRETE CONSOLIDATOR with sodium and potassium silicates 5 Lt can                 |
| 448379 |         | TMB Lithium SILICATE CONCRETE CONSOLIDATOR with lithium silicates 5 Lt can                          |
| 448380 |         | TMB LUX Nano-Lithium UV HIGH-GLOSS SUPER RESISTANT LITHIUM BASED CONCRETE FINISH 5 Lt can           |
| 448381 |         | TMB Lux Lithium  CARRIAGEABLE GLOSS LITHIUM BASED CONCRETE FINISHING resistant to traffic  5 Lt can |
| 448382 |         | TMB LUX MARBLE Extra Polishing powder for marble 5 Kg can   |
| 448383 |         | TMB Gel Lux Marble Polishing Gel for marble 1 Kg can  |
| 448384 |         | TMB impregnating Finish Marble-Granite Protective finishing polish 1 Lt can                         |
| 448386 |         | TMB KRIS Marble Crystallizer for marble 1 Kg can  |





- STANDARD
- O OPTIONAL
- NOT AVAILABLE

| ROTO-ORBITAL SINGLE DISC MACHINE MODELS. |              |             |                      |          |              |                       |
|--|--------------|-------------|----------------------|----------|--------------|-----------------------|
| TPO 43                                   | TPO 43 Spray | TOR43 EXTRA | TOR43<br>EXTRA SPRAY | TOR43 DS | TOR 50 EXTRA | TOR 50<br>EXTRA SPRAY |
| _  | _            | 0           | 0                    | 0        | -            | -                     |



| CHEMICALS FOR ROTO-ORBITAL SINGLE DISC MACHINES. |  |   |  |  |  |
|--|--|---|--|--|--|
| CODE   |  | DESCRIPTION   |  |  |  |
| 448387   |  | TMB Lux Granite Polishing powder for granite-stoneware, 5 kg can                        |  |  |  |
| 448388   |  | TMB Gel Lux Granite Polishing Gel for granite-stoneware, 1 kg can                       |  |  |  |
| 448813   |  | TMB WRM Water repellent detergent Daily maintenance and site start-up product, 1 Kg can |  |  |  |









